



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/822,471	04/12/2004	John O'Rourke	299055	3138

42074 7590 05/26/2005

JASON R. KRAUS
FAEGRE & BENSON, LLP
2200 WELLS FARGO CENTER
90 SOUTH SEVENTH STREET
MINNEAPOLIS, MN 55402-3901

EXAMINER

PRASAD, CHANDRIKA

ART UNIT PAPER NUMBER

2839

DATE MAILED: 05/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

EK

Office Action Summary	Application No. 10/822,471	Applicant(s) O'ROURKE ET AL.	
	Examiner Chandrika Prasad	Art Unit 2839	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 April 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-46 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-46 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 April 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>7/6/04</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Specification

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the circuit board assembly comprising a medical device must be shown or the feature(s) canceled from the claim 19. No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

Art Unit: 2839

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

3. The following is a quotation of an appropriate paragraph of 37 CFR 1.75:

(d) The claim or claims must conform to the invention as set forth in the remainder of the specification and the terms and phrases used in the claims must find clear support or antecedent basis in the description so that the meaning of the terms in the claims may be ascertainable by reference to the description. (See 1.58(a)).

4. Specification is objected under 37 C.F.R. 1.75(d) because the circuit board assembly comprising a medical device has not been described (see claim 19).

Claim Rejections - 35 USC § 112

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claim 19 is rejected under 35 U.S.C. 112, second paragraph, as failing to set forth the subject matter which applicant(s) regard as their invention. Evidence that claim 19 fails to correspond in scope with that which applicant(s) regard as the invention can be found in the specification and drawings which shows a medical device comprising a circuit board assembly which is different from what is defined in the claim 19 because the claim recites the circuit board assembly comprising a medical device.

7. Claims 22-39 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

8. Claim 22 recites the limitation "the circuit board assembly" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

9. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

10. Claims 1-6, 8-9, 12-13 and 16-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Gately et al. (65441712).

Gately (Figures 2-6) shows a first circuit board 174b having a first aperture having a first diameter, a second circuit board 174c having a second aperture with a second diameter wherein the first and second apertures are aligned and a solder joint extends into the apertures. The first diameter and second diameter are about greater than 0.01 inches and less than 0.04 inches. The ratio of diameters is between 70 and 130 percent. The circuit boards are adjacent to each other. Figure 2 shows a gap between two adjacent circuit boards 34c and 34d. The apertures are coated with a layer of copper. Solder joint having a combination of solder and flux is inherent. Gately also shows several circuit boards with apertures of the same diameter. The solder would be visible at the first and second apertures if only two circuit boards are used (Gately uses a number of circuit boards and the solder is visible at the apertures in the uppermost and lowermost circuit boards).

Claim Rejections - 35 USC § 103

11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

12. Claims 7, 10-11, 14-15, 20-21 and 40-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gately et al. (65441712).

As to claims 7, 10-11, it would have been obvious to provide different diameters of the two apertures and a different gap between two circuit board because such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. In re Rose, 105 USPQ 237 (CCPA 1955).

As to claims 14-15, it would have been obvious to one of ordinary skill in the art at the time of the instant invention to use different amount of flux in the solder since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use. In re Leshin, 125 USPQ 416.

As to claims 20-21, an official notice is given that medical devices such as a cardiac rhythm management device having a housing with a battery and a printed circuit board assembly is well known. It would have been obvious to one of ordinary skill in the art at the time of the instant invention to use the circuit board assembly shown by Gately in a medical device such as a cardiac rhythm management device because it would provide increased capability.

As to claims 40-46, the various steps recited in these claims for coupling two parts by soldering are common knowledge and widely used. It would have been

Art Unit: 2839

obvious to one of ordinary skill in the art at the time of the instant invention to use these well known soldering steps to join the Gately's circuit boards.

Conclusion

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Paagman (6196876), Yamasaki et al. (6148900), Shelnut et al. (6759596).


Contact Information

14. Any correspondence to this action may be mailed to:

**Commissioner for Patents
Post Office Box 1450
Alexandria, VA 22313-1450**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chandrika Prasad whose telephone number is (571) 272-2099.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor can be reached at (571) 272-2800 ext 39. The fax number is (703) 872-9306.


Chandrika Prasad
Primary examiner
May 19, 2005